

ROMANCE PORCELAIN TILE




ROMANCE PORCELAIN TILE



13" x 13" ROMANCE WHITE PORCELAIN TILE
63-224



1" x 3" ROMANCE WHITE MOSAICS
63-232



3" x 13" ROMANCE WHITE BULLNOSE
63-225



10" x 16" ROMANCE WHITE WALL TILE
56-020



3" x 10" ROMANCE WHITE BULLNOSE
56-021



4" x 16" ROMANCE WHITE LISTELLO
56-022

ROMANCE PORCELAIN TILE



13" x 13" ROMANCE CREAM PORCELAIN TILE
63-226



1" x 3" ROMANCE CREAM MOSAICS
63-233



3" x 13" ROMANCE CREAM BULLNOSE
63-227



10" x 16" ROMANCE CREAM WALL TILE
56-023



3" x 10" ROMANCE CREAM BULLNOSE
56-024



4" x 16" ROMANCE CREAM LISTELLO
56-025

ROMANCE PORCELAIN TILE



13' x 13' ROMANCE MINK PORCELAIN TILE
63-228




13' x 13' ROMANCE BLACK PORCELAIN TILE
63-230




3' x 13' ROMANCE MINK BULLNOSE
63-229



3' x 13' ROMANCE BLACK BULLNOSE
63-231



1' x 3' ROMANCE MINK MOSAICS
63-234



1' x 3' ROMANCE BLACK MOSAICS
63-235

ROMANCE PORCELAIN TILE

PACKAGING INFORMATION

DESCRIPTION	ITEM CODE				LBS/BOX	PCS/BOX	SQFT/BOX	BOXES/SKID	SQFT/SKID
	WHITE	BEIGE	MINK	BLACK					
13" x 13" ROMANCE PORCELAIN TILE	63-224	63-226	63-228	63-230	53.35	13	15.28	46	702.88
3" x 13" ROMANCE BULLNOSE	63-225	63-227	63-229	63-231	20.04	30	N/A	60	1800 pcs.
10" x 16" ROMANCE WALL TILE	56-020	56-023	N/A	N/A	43.46	14	15.06	54	813.45
4" x 16" ROMANCE LISTELLO	56-022	56-025	N/A	N/A	19.48	15	N/A	48	720 pcs.
1" x 3" ROMANCE MOSAICS	63-232	63-233	63-234	63-234	38.62	10	11.74	48	563.52
3" x 10" ROMANCE BULLNOSE	56-021	56-024	N/A	N/A	11.78	20	N/A	144	2880 pcs.

GENERAL SPECIFICATIONS

DESCRIPTION	METHOD	UNIT	13" x 13"
THICKNESS		mm – in	7.8 mm – 5/16"
WATER ABSORPTION	EN ISO 10545-3	(%)	≤ 0.5
ABRASION RESISTANCE	EN ISO 10545-7	(PEI)	3 - 4*
SCRATCH HARDNESS		(Mohs)	6
BREAKING STRENGTH	EN ISO 10545-4	(lbf)	≥ 300
CHEMICAL RESISTANCE	EN ISO 10545-13	(GL)	Class A – Res.
FROST RESISTANCE	EN ISO 10545-12		Resistant
STATIC COEFFICIENT OF FRICTION (WET)	ASTM C-1028	(μ)	≥ 0.80
STATIC COEFFICIENT OF FRICTION (DRY)	ASTM C-1028	(μ)	≥ 0.80
DCOF (WET)	ANSI B101.3		≥ 0.50
SHADE VARIATION			V1

* Additional abrasion resistance (pei) information.